Operator: AMEREN ILLINOIS COMPANY	Operator ID#: 32513
Inspection Date(s): 9/3/2014, 9/4/2014	Man Days: 2
Inspection Unit: Mattoon	
Location of Audit: Mattoon	
Exit Meeting Contact: Dallas Jett	
Inspection Type: Standard Inspection - Record Audit	
Pipeline Safety Representative(s): Charles Gribbins	
Company Representative to Receive Report: Michael Fuller	
Company Representative's Email Address: mfuller2@ameren.com	

Dallas Jett	Superintendent of Quality Assurance	
Inspection Contact(s)	Title	Phone No.
	Email:	
	Phone#: (217) 424-6518	
Official or Mayor's Name:	Ron Pate	
	Fax#:	
	Emergency Phone#: (800) 755-5000	
	Peoria, IL 61602	
Headquarters Address Information:	300 Liberty	

Gas System Operations	Status
Category Comment:	
This information was reviewed at the Pawnee Training Center on February 18-20-2014	
Gas Transporter	Not Checked
Annual Report (Form 7100.1-1) reviewed for the year:	Not Checked
Unaccounted for Gas	Not Checked
Number of Services	Not Checked
Miles of Main	Not Checked
Is the operator maintaining documentation verifying their Maximum Allowable Operating Pressure(s)? (MAOP)	Satisfactory
Operating Pressure (Feeder)	Various pressure setting

Operating Pressure (Town)		Various pressure settings
Operating Pressure (Other)		Various pressure settings
MAOP (Feeder)		Various Pressure settings
MAOP (Town)		Various Pressure Settings
MAOP (Other)		Various Pressure Settings
Does the operator have any transmission pipelines	6?	Yes
General Comment:		
Transmission records were reviewed at other locations that hol	use transmission records.	
Regulatory	Reporting Records	Status
Category Comment:		
This information was reviewed at the Pawnee Training Center of	on February 18-20-2014.	
[191.5]	Were Telephonic Notices of Incidents reported to the NRC (800-424-8802)?	Not Checked
[191.9(a)]	Was a DOT Incident Report Form F7100.1 submitted within 30 days after detection of an incident?	Not Checked
[191.9(b)]	Were any supplemental incident reports submitted when deemed necessary?	Not Checked
Did the operator have any plastic pipe failures in the	ne past calendar year?	Not Checked
Did the operator take action to mitigate safety concomponents?	cerns relating to the failure of the PE or pipeline	Not Checked
[191.23(a)]	Did the operator report Safety Related Conditions?	Not Checked
[191.25]	Did the Operator file a Safety Related Condition Report within 5 working days of determination, but not later than 10 working days after discovery?	Not Checked
[192.16(c)]	Customer Notification: Has the operator notified each new customer within 90 days about the customer's responsibility regarding buried piping, however, operators of a master meter may continuously post a general notice in a permanent location?	Not Checked

Unless otherwise noted, all code references are to 49CFR Part 192. If an item is marked Unsatisfactory, Not Applicable, or Not Checked, an explanation must be included in this report.

[DRUG TESTING	Status
Category Comment:		
A review of Ameren's drug and alcohol plan was complete	ed in 2011 and not as part of this audit.	
Refer to Drug and Alcohol Inspection Forms a	nd Protocols	Not Checked
TES	T REQUIREMENTS	Status
Category Comment:		
Service cards and work orders were reviewed which indic	ated that pressure testing was conducted as required.	
[192.517(a)][192.505,192.507,192.511(c)]	Are pressure test records being maintained for piping operating above 100 psig?	Satisfactory
[192.517(b)][192.511,192.509,192.513]	Are pressure test records being maintained for at least 5 years on piping operating below 100 psig?	Satisfactory
[192.603(b)][192.725]	Were service lines temporarily disconnected from the main properly tested prior to reconnection?	Satisfactory
	UPRATING	Status
[192.555][192.555]	Has the operator maintained documentation of uprating activities when uprating a pipe to a pressure that will produce a hoop stress of 30% or more SMYS?	Not Applicable
General Comment:		
All uprating for pressures that would produce a hoop stres	ss of 30% or more were reviewed at the Decatur office.	
[192.557][192.557]	Has the operator maintained documentation of uprating activities when uprating a pipe to a pressure that will produce a hoop stress of less than 30% SMYS?	Not Applicable
General Comment:	<u></u>	
There was no uprating in the Mattoon Operating Center in	2013.	
	OPERATIONS	Status
Category Comment:		
The O&M Manual was initially reviewed on 2-18-20-2014,	Ameren provided an updated O&M Plan in July 2014.	
[192.603(b)][192.605(a)]	Has the operator conducted a review of the Operations and Maintenance Manual once per yr/15 months?	Not Checked
Has the operator conducted a review of the Operator	perator Qualification Plan once per yr/15 months?	Not Checked
General Comment:		
The operator's OQ Plan was reviewed at the Pawnee Tra	ining Center on 2-19-2014	
[192.603(b)][192.605(b)(3)]	Are construction records, maps, and operating history available to operating personnel?	Satisfactory
General Comment:		

AMEREN ILLINOIS COMPANY/9-4-2014

Page 3 of 13

[192.603(b)][192.605(b)(8)]	Has the operator periodically reviewed personnel's work to determine the effectiveness of normal O&M procedures when deficiencies are found?	Satisfactory
General Comment:		
The operator was able to provide documentation normal O&M Procedures.	demonstrating that the Quality Assurance reporting process addresses deficiencies in the	effectiveness of the
CONTIN	UING SURVEILLANCE RECORDS	Status
[192.603(b)][192.613(a)]	Has the operator reviewed continuing surveillance records for class location changes, failures, leak history, corrosion, changes in cathodic protection, and other unusual operating and maintenance conditions?	Not Checked
General Comment:		
The continuing surveillance records were inspect	ed at the Pawnee Training Center on February 18-20-2014	
[192.491][192.489]	Does the operator have records verifying if exposed cast iron was examined for evidence of graphitization and if necessary what appropriate action was taken concerning graphitization?	Not Applicable
General Comment:		
The operator does not have any cast iron within a	the distribution system.	
[192.603(b)][192.755]	Does the operator have surveillance records of cast iron pipelines, including appropriate action resulting from tracking circumferential cracking failures, study of leak history, or any other unusual operating and maintenance conditions?	Not Applicable
General Comment:	1	
The operator does not have any cast iron within a	the Distribution system.	
[192.603(b)][192.753(a)]	Is each cast iron caulked bell and spigot joint that is subject to a pressure of more than 25 (psig.) sealed as required?	Not Applicable
General Comment:	•	
The operator does not have any caulked bel or s	pigot joints within the distribution system	
[192.603(b)][192.753(b)]	Is each cast iron caulked bell and spigot joint that is subject to a pressure of 25 (psig.) or less and is exposed for any reason sealed as required?	Not Applicable
General Comment:		
The operator does not have any caulked bel or s	oigot joints within the distribution system	
QUALIFICATION OF PIPELINE PERSONNEL		Status

Unless otherwise noted, all code references are to 49CFR Part 192. If an item is marked Unsatisfactory, Not Applicable, or Not Checked, an explanation must be included in this report.

Refer to operator Qualification Inspection Forms and Protocols		Not Checked
General Comment:		
Staff reviewed the OQ records and plan at the Pa	wnee Training Center in Pawnee on 2-19-14	
DAM	AGE PREVENTION RECORDS	Status
Category Comment:		
This information was reviewed at the Pawnee Tra	aining Center On February 18-20-2014	
[192.603(b)][191.11(a)]	Did the operator track the number of damages per 1000 locate requests for the previous years?	Not Checked
Has the number of damages increased	or decreased from prior year?	Not Checked
[192.603(b)][192.617]	Does the operator track records of accidents due to excavation damage to ensure causes of failures are addressed to minimize the recurrence?	Not Checked
[192.603(b)][192.614(c)(3)]	Does the operator provide documentation pertaining to notification of excavation, marking, positive response, and the availability and use of the one call system?	Not Checked
Does the operator have a Quality Assurfacilities?	rance Program in place for monitoring the locating and marking of	Not Checked
Do pipeline operators include performa	nce measures in facility locating contracts?	Not Checked
[IL ADM. CO.265.100(b)(1)]	Was third party damage to mains involving a release of gas reported to ICC JULIE Enforcement? http://www.icc.illinois.gov/julie/	Not Checked
Has the Operator adopted applicable se	ections of the Common Ground Alliance Best Practices?	Not Checked
If no, were Common Ground Alliance B	est Practices discussed with Operator?	Not Checked
EMERGENCY PLANS		Status
Category Comment:	<u> </u>	
This section was reviewed at the Pawnee Trainin	g Center on February 18-20-2014.	
[192.603(b)][192.615(b)(1)]	Are supervisors, responsible for emergency action, furnished copies of the latest edition of the Emergency Plan?	Not Checked
[192.603(b)][192.615(b)(2)]	Has the operator maintained documentation that the appropriate operating personnel have received training to assure they are knowledgeable of emergency procedures and that the training was effective?	Not Checked
[192.603(b)][192.615(b)(3)]	Has the operator maintained documentation of employee activity reviews to determine whether the procedures were effectively followed in each emergency?	Not Checked
[192.603(b)][192.615(c)]	Has the operator maintained documentation that the	Not Checked

Unless otherwise noted, all code references are to 49CFR Part 192. If an item is marked Unsatisfactory, Not Applicable, or Not Checked, an explanation must be included in this report.

	operator established and maintained liaison with appropriate fire, police and other public officials?	
[192.603(b)][192.615(a)(3)]	Did the review of emergency response time intervals regarding odor/leak complaint documentation indicate adequate emergency response intervals were achieved?	Not Checked
PUBLIC AW	ARENESS PROGRAM - RECORDS	Status
Refer to Public Awareness Program Insp	ection Forms and Protocols	Not Checked
General Comment:		
This information was reviewed at the Pawnee Trair	ning Center on February 20-2014	
	ODORIZATION OF GAS	Status
[192.603(b)][192.625(f)]	Has the operator maintained documentation of odorant concentration level testing using an instrument?	Satisfactory
[192.603(b)][192.625(e)]	Has the operator maintained documentation of odorizer tank levels?	Satisfactory
[192.603(b)][192.625(f)(1)]	Are master meter operators receiving written verification of odorant concentration levels from their gas supplier?	Not Applicable
General Comment:		
This is a requirement for Master Meter Operators o	nly.	
[192.603(b)][192.625(f)(2)]	Has the master meter operator maintained documentation of sniff tests performed as required by this section?	Not Applicable
General Comment:	·	
This is a requirement for Master Meter Operators o	nly.	
PATRO	DLLING & LEAKAGE SURVEY	Status
[192.603(b)][192.721(b)(1)]	Is the operator patrolling business districts at a minimum of 4 per year/4 1/2 months?	Not Applicable
General Comment:	·	
The operator does not have any patrols in the busin	ness districts.	
[192.603(b)][192.721(b)(2)]	Is the operator patrolling outside business districts at a minimum of 2 per year/7 1/2 months?	Satisfactory
[192.603(b)][192.723(b)(1)]	Is the operator performing leakage surveys in business districts at a minimum of 1 per year/ 15 months? If the operator has inside meter sets that meet this criterion then were those surveyed?	Satisfactory
General Comment:		
inside meter sets are included in the business distr	ict surveys, Staff reviewed documents indicating inside meters.	

Unless otherwise noted, all code references are to 49CFR Part 192. If an item is marked Unsatisfactory, Not Applicable, or Not Checked, an explanation must be included in this report.

Is the operator performing leakage surveys outside a business district at a minimum of every 5 years/63 months? Is the operator performing leakage surveys on cathodically unprotected pipelines at a minimum of every 3 years/39 months? If the operator has inside meter sets that meet this criterion then were those surveyed? If the operator has yard lines then are those being surveyed? Indential leak surveys and Atmospheric corrosion on a four year cycle. Staff residential and business district leak surveys. ES - RESIDENTIAL Has the operator designated and documented the location of all services where the meter is located more than 3 feet away from the wall of a residence?	Satisfactory eviewed these record Status Satisfactory
the residential and business district leak surveys. ES - RESIDENTIAL Has the operator designated and documented the location of all services where the meter is located more than 3 feet	Status
the residential and business district leak surveys. ES - RESIDENTIAL Has the operator designated and documented the location of all services where the meter is located more than 3 feet	Status
Has the operator designated and documented the location of all services where the meter is located more than 3 feet	
Has the operator designated and documented the location of all services where the meter is located more than 3 feet	
of all services where the meter is located more than 3 feet	Satisfactory
de during the records inspection.	
Has the operator determined if cathodic protection is required on these services?	Satisfactory
protection.	
After the determination of the cathodic protection requirements, has the operator surveyed each line within the required leakage survey intervals?	Satisfactory
protection.	
ATION of FACILITIES PROCEDURES	Status
Did the operator maintain documentation demonstrating that each pipeline abandoned in place was disconnected from all sources and supplies of gas, and purged of gas?	Satisfactory
d.	
Did the operator maintain documentation demonstrating that each inactive pipeline that is not being maintained under this part was disconnected from all sources and supplies of gas; purged of gas?	Satisfactory
,	After the determination of the cathodic protection requirements, has the operator surveyed each line within the required leakage survey intervals? Protection. ATION of FACILITIES PROCEDURES Did the operator maintain documentation demonstrating that each pipeline abandoned in place was disconnected from all sources and supplies of gas, and purged of gas? Did the operator maintain documentation demonstrating that each inactive pipeline that is not being maintained under this part was disconnected from all sources and

Unless otherwise noted, all code references are to 49CFR Part 192. If an item is marked Unsatisfactory, Not Applicable, or Not Checked, an explanation must be included in this report.

[192.603(b)][192.727(d)]	Did the operator maintain documentation demonstrating that whenever service to a customer was discontinued access to gas was either; locked, prevented by a mechanical fitting, or disconnected from the gas supply and open pipe ends sealed?	Satisfactory
General Comment:		
	rify that when service to a customer was disconnected that the following was at the valves were closed and a locking device was used to prevent the custo	
[192.603(b)][192.727(e)]	Did the operator maintain documentation when air was used for purging that a combustible mixture was not present after purging?	Satisfactory
[192.727(g)][192.727(g)]	Did the operator maintain documentation for each abandoned onshore pipeline facility that crosses over, under or through a commercially navigable waterway?	Not Applicable
General Comment:		
The operator did not have any pipeline facilities abandoned ur	nder or through a commercially navigable waterway.	
PRESSURE LIM	TING AND REGULATION	Status
[192.603(b)][192.739(a)]	Is the operator inspecting and testing the pressure limiting and regulating stations at a minimum of 1 per year/15 months?	Satisfactory
[192.603(b)][192.743(a)]	Is the operator inspecting pressure limiting and regulating stations for adequate capacity at a minimum of 1 per year/15 months?	Satisfactory
General Comment:		
An Engineering evaluation is performed every year on pressur	re stations. These records were provided in electronic format.	
[192.603(b)][192.743(b)]	If the operator used calculations to determine sufficient capacity, were the calculation reviews documented at a minimum of 1 per year/15 months?	Satisfactory
General Comment:		
An Engineering evaluation is performed every year on pressur	re stations. These records were provided in electronic format.	
[192.603(b)][192.741(a),192.741(b)]	Is each distribution system supplied by more than one district pressure regulating station, or where required by the operator on a system supplied by a single regulating station, equipped with telemetering or recording pressure gauges to indicate the gas pressure in the district?	Not Checked
General Comment:		
These records are maintained by gas control in the Springfield	I Office, this inspection will be conducted at a later date.	
[192.603(b)][192.741(c)]	If there were indications of abnormally high- or low- pressure, were actions taken to correct any unsatisfactory	Not Checked

AMEREN ILLINOIS COMPANY/9-4-2014

Page 8 of 13

Unless otherwise noted, all code references are to 49CFR Part 192. If an item is marked Unsatisfactory, Not Applicable, or Not Checked, an explanation must be included in this report.

	operating conditions?	
General Comment:	·	
These records are maintained by gas control in the Sp	oringfield Office, this inspection will be conducted at a later date.	
[192.603(b)][192.743(a),192.743(b),192.19	5(b)(2)] Is overpressure protection provided by the supplier pipeline downstream of the take point?	Not Checked
General Comment:		
These records are maintained by gas control in the Sp	oringfield Office, this inspection will be conducted at a later date.	
[192.603(b)][192.743(a)]	If Yes, does the operator have documentation to verify that these devices have adequate capacity?	Not Checked
General Comment:		
These records are maintained by gas control in the Sp	oringfield Office, this inspection will be conducted at a later date.	
VA	ALVE MAINTENANCE	Status
[192.603(b)][192.747(a),192.747(b)]	Did the operator inspect and maintain distribution valves necessary for the safe operation of the system at a minimum of 1 per year/15 months?	Satisfactory
General Comment:	·	
Staff reviewed the electronic records for valve inspects	ions and noted that valves were inspected as required.	
[192.603(b)][192.749(a)]	Did the operator inspect and maintain vaults > 200 cubic feet at a minimum of 1 per year/15 months?	Not Applicable
General Comment:		
The operator did not have any vaults that were greate	r than 200 cubic feet in the Mattoon Service area.	
Inv	estigation Of Failures	Status
[192.603(b)][192.617]	Did the operator experience accidents or failures requiring analysis?	Not Checked
General Comment:	·	
These records were checked at the Pawnee Training	Center on February 18-20-2014	
WE	LDING OF STEEL PIPE	Status
[192.603(b)][192.225(b)]	Does the operator have documentation for their qualified welding procedure?	Not Checked
General Comment:		
These records were checked at the Pawnee Training	Center on February 18-20-2014	
[192.603(b)][192.227,192.229]	Does the operator have documentation of welder qualification as required?	Not Checked
General Comment:	·	
AMEREN II LINOIS COMPANY/9-4-2014		Page 9 of 13

AMEREN ILLINOIS COMPANY/9-4-2014

Page 9 of 13

Unless otherwise noted, all code references are to 49CFR Part 192. If an item is marked Unsatisfactory, Not Applicable, or Not Checked, an explanation must be included in this report.

[192.709][192.243(b)(2)]	Does the operator have documentation of NDT personnel qualification as required?	Not Checked
General Comment:	110000000000000000000000000000000000000	
The NDT records were reviewed at a previous	audit at the Decatur Plaza Office.	
[192.709][192.243(f)]	Does the operator have documentation of NDT testing performed?	Not Checked
General Comment:	<u> </u>	
The NDT records were reviewed at a previous	audit at the Decatur Plaza Office.	
JOINING C	OF MATERIAL OTHER THAN WELDING	Status
Category Comment:		
This information was reviewed at the Pawnee	Training Center on February 18-20-2014	
[192.603(b)][192.285]	Are persons making joints with plastic pipe qualified?	Not Checked
[192.603(b)][192.287]	Are persons inspecting plastic pipe joints qualified?	Not Checked
[192.603(b)][192.283]	Are qualified joining procedures for plastic pipe in place?	Not Checked
CORROSION CONTROL RECORDS		Status
[192.491(a)][192.491(a)]	Has the operator maintained maps or records of cathodically protected piping, cathodic protection facilities, galvanic anodes, and neighboring structures bonded to the cathodic protection system?	Satisfactory
[192.491][192.459]	Has the operator maintained documentation of an examination when buried pipe was exposed?	Satisfactory
General Comment:	<u> </u>	
Staff reviewed Buried Pipe Examination Form.		
[192.491][192.465(a)]	Has the operator maintained documentation of annual pipe-to-soil monitoring performed at a minimum of 1 per yr/15 months and/or isolated services or short sections of main less than 100 feet at a minimum of 10% annually?	Satisfactory
General Comment:	·	
Staff reviewed the pipe to soil readings taken to	hroughout the year and all readings where within the85 volt criteria.	
[192.491][192.465(b)]	Has the operator maintained documentation of rectifier or other impressed current power sources inspections at a minimum of 6 per year/ 2 1/2 months?	Not Applicable
General Comment:		
There are no rectifiers or other impressed curre	ent power sources in the Mattoon Service area.	

[192.491][192.465(c)]	Has the operator maintained documentation of each critical interference bond, reverse current switch, diode, etc. inspections at a minimum of 6 per year/ 2 1/2 months and/or non-critical interference bond inspections at a minimum of 1 per year/15 months?	Satisfactory
General Comment:	·	
Staff reviewed the electronic records for critical interference	bonds, there is only one in the Mattoon Service area.	
[192.491][192.465(d)]	Has the operator taken prompt remedial actions to correct any deficiencies indicated by the monitoring?	Satisfactory
General Comment:	·	
In the Mattoon Service area they only had to readings that i	required a follow-up inspection.	
[192.491][192.465(e)]	Has the operator maintained documentation of unprotected pipeline surveys, inspections, or tests at a minimum of 3 years/39 months?	Not Applicable
General Comment:	·	
There is no unprotected pipelines in the Mattoon Service ar	rea.	
[192.491][192.467(a),192.467(c),192.467(d)]	Has the operator maintained documentation of inspections or tests for electrical isolation at casings?	Satisfactory
General Comment:	•	
Staff reviewed the information for ten Casings in the Mattoo	on Service Area.	
[192.491][192.469]	Does the operator have a sufficient number of test stations or other contact points for electrical measurement to determine the adequacy of cathodic protection?	Satisfactory
General Comment:		
It appears for the review of the electronic records there is so	ufficient number of test stations.	
[192.491][192.471]	Has the operator maintained documentation of corrective actions taken when a test lead is no longer electrically conductive?	Not Applicable
General Comment:	•	
At the present time the operator has not had any problems	with any test leads on the cathodic protection system.	
[192.491][192.473(b)]	Has the operator maintained documentation of inspections or tests to assure their cathodic protection system is not affecting adjacent underground metallic structures?	Satisfactory
[192.491][192.475(a)]	Has the operator maintained documentation of investigations or steps taken to minimize internal corrosion due to transportation of corrosive gas?	Not Applicable
General Comment:	•	

The operator stated that they do not transport corrosive ga	s.	
[192.491][192.475(b)]	Has the operator maintained documentation of internal surface inspections performed when pipe is removed for any reason?	Satisfactory
General Comment:		
Internal corrosion inspections are logged on the Buried Pip	be Examination whenever pipe is removed from the system.	
[192.491][192.477]	Has the operator maintained documentation of internal corrosion coupon monitoring at a minimum of 2 per year/ 7 1/2 months?	Not Applicable
General Comment:		
This done mostly on the transmission pipelines. But the op anything is found at that time. This information will be found	erator does look at coupons when removed during tapping procedures, and will ned on the Buried Pipe Examination Form.	make comments if
[192.491][192.481]	Has the operator maintained documentation of atmospheric corrosion control monitoring at a minimum of 1 per 3 years/39 months?	Satisfactory
General Comment:		
	em to monitor Atmospheric corrosion on a four year cycle the same as the leak s n this information is taken and assigned for corrective action.	urvey cycle, any
[192.491][192.479]	Has the operator maintained documentation of corrective action where atmospheric corrosion was discovered?	Satisfactory
[192.491][192.483(a),192.483(b),192.483(c)]	Has the operator maintained documentation demonstrating that pipe removed due to external corrosion has been repaired or replaced with pipe that was coated and cathodically protected?	Satisfactory
TRAINING	- 83 IL ADM. CODE 520	Status
Category Comment:		
This information was inspected at the Pawnee Training Ce	nter on February 18-20-2014	
[520.10(a) (1)]	Has the operator maintained documentation demonstrating that personnel have received adequate training?	Not Checked
[520.10(a) (2)]	Do training records include verbal instruction and/or on the job training for each job classification?	Not Checked
[520.10(b)]	Has the municipal operator maintained documentation demonstrating that personnel have received adequate training?	Not Checked
[520.10(a)(5)]	Are procedures periodically updated to include new materials, new methods of operation and installation, and changes in general procedures?	Not Checked

Unless otherwise noted, all code references are to 49CFR Part 192. If an item is marked Unsatisfactory, Not Applicable, or Not Checked, an explanation must be included in this report.

AMEREN ILLINOIS COMPANY/9-4-2014 Page 13 of 13